

ACD — Agent **User's Guide**

COPYRIGHT

This manual is proprietary to SAMSUNG Electronics Co., Ltd. and is protected by copyright.

No part of this document may be copied, translated, transcribed or duplicated for any commercial purposes or disclosed to a third party in any form without the prior written consent of SAMSUNG Electronics Co., Ltd.

This manual should be read before the installation and operation, and the operator should correctly install and operate the product by using this manual.

This manual may be changed for the system improvement, standardization and other technical reasons without prior notice.

For further information on the updated manual or have a question for the content of manual, contact the address or homepage below.

Address: Document Center 2nd Floor IT Center. Dong-Suwon P.O. Box 105, 416, Maetan-3dong Yeongtong-gu, Suwon-si, Gyeonggi-do, Korea 442-600

Homepage: <http://www.samsungdocs.com>

© 2010 SAMSUNG Electronics Co., Ltd. All rights reserved.

CHAPTER 1. Introduction

ACD Agent is a call center agent that enables call center agents to operate the SCM Express system effectively and enables managing call center agents.

Agent provides all functions that can be performed by call center agents for operating the call center.

Purpose

This document introduces the ACD Agent application and describes how to operate the Agent application

Document Content and Organization

This document contains nine chapters and an abbreviation.

Chapter 1. Introduction

This chapter introduces the Agent application.

Chapter 2. Installation

This chapter describes about Agent application installation.

Chapter 3. Agent

This chapter describes about Agent application.

Chapter 4. Basic Operations

This chapter describes about basic feature of Agent application.

Chapter 5. Call Operations

This chapter describes about basic call features.

Chapter 6. Call button Operations

This chapter describes about basic call features.

Chapter 7. Group Operations

This chapter describes about Group features.

Chapter 8. Favorite Operations

This chapter describes about Favorite features.

Chapter 9. Group Stats Operations

This chapter describes about Group Statistics.

ABBREVIATION

This chapter describes the frequently used acronyms.

Conventions

The following special paragraphs are used to point out information that should be read. This information may be set-off from the surrounding text, but is always preceded by a bold title in capital letters.

	NOTE	NOTE Indicates additional information as a reference.
---	------	---

Console Screen Output

The lined box with 'Courier New' font will be used to distinguish between the main content and console output screen text.

'**Bold Courier New**' font will indicate the value entered by the operator on the console screen.

References

Revision History

Edition No.	Date of Issue	Remarks
00	Feb 2010	Base document version 3.0
0.1	Dec 2010	Updated document with new V3.1.0.5 features

TABLE OF CONTENTS

CHAPTER 1. Introduction	III
Purpose.....	III
Document Content and Organization	III
Conventions.....	V
Console Screen Output.....	V
References	VI
Revision History	VII
CHAPTER 2. Installation	12
Prerequisites.....	12
Hardware Requirements.....	12
Software Requirements	12
ACD Agent Installation.....	13
To install Agent	13
CHAPTER 3. Agent	2
Starting up the Agent	2
Agent Menu	1
File Menu.....	2
View Menu.....	2
Agent Control Menu.....	2
Call Control Menu.....	3
Help Menu	3
Toolbar.....	4
CHAPTER 4. Basic Operation	6
Options.....	6
General.....	6
Screen Pop.....	7
Hot Keys.....	8
Debug.....	9
Login	10
Logout	12
Always on Top	12
Caller Information Popup.....	13

Exit.....	13
About ACD Agent	14
CHAPTER 5. Call Operation	15
Dial.....	15
Answer	16
Disconnect.....	16
Redial	17
Hold	17
Transfer to Agent.....	18
Transfer to Group	19
Conference.....	20
Do Not Disturb (DND).....	22
Auto Answer	22
Supervisor.....	23
End Wrap-Up.....	23
Extend Wrap-Up	24
Break	24
CHAPTER 6. Call Button Operations	25
Call Button List.....	25
Call Button Menu	25
CHAPTER 7. Group Operations	27
Group Information Window	27
Group Log-in.....	27
Group Log-out	27
Group Supervisor.....	28
Cancel	28
CHAPTER 8. Favorite Operations	28
Favorite Bar	28
Agent	29
Add Agent.....	29
Modify Agent.....	30
Delete Agent.....	31
Group	오류! 책갈피가 정의되어 있지 않습니다.
Add Group	31
Modify Group.....	32
Delete Group	33
Phone Number.....	33

Add Phone Number	33
Modify Phone Number	34
Delete Phone Number	34
Call Favorite.....	35
Transfer to Favorite.....	35
Conference Favorite.....	35
CHAPTER 9. Group Stat Operations	37
Group Stat Window	37
Group Parameters	37
ABBREVIATION	38
A	38
C	38
D	38



This page is intentionally left blank.

CHAPTER 2. Installation

This chapter provides an overview of ACD Agent installation.

Prerequisites

Hardware Requirements

1. Intel 2.4 CPU or above.
2. Memory 1GB memory or above.
3. Hard disk drive 24 GB free disk space.

Software Requirements

1. Operating System
 - Microsoft - Windows 2003 Server/ Professional.
 - Microsoft - Windows 2000 Server/ Professional.

The system should have the following installed configurations:

- Service pack 4 or above.
- Microsoft - Windows XP Professional.


The system should have the following installed configurations:

- Service pack 2 or above.
- MS .NET framework 2.0


ACD Agent Installation

To install Agent


1. Insert the CD provided into the CD-ROM drive.
2. Run the self-extracting setup file **SETUP.EXE** from the CD-ROM.




3. The **Choose Setup Language** screen is displayed. Select the language and Click **OK**.



4. After going through the **Welcome** screen, click **Next** to continue.



5. The **End User License** screen is displayed. Read the license and click **I accept...** radio button and **Next** to continue.



6. The **Agent Option** screen is displayed.
- Enter the **ACD Server IP address** or DNS Name.
 - Enter **Agent ID** and **Agent Station**. Click **Next**.

7. The **Select Setup Option** screen is displayed to allow the agent to change the ACD server IP and station number regardless of security level

- Select the **Modifiable ACD Server IP and Station Number** check box. Click **Next**.



8. The **Choose Destination Location** screen allows the user to choose the directory for the software.

- To install in the default folder, click **Next**.


OR

To install in a different folder, select the folder by clicking on **Browse....** Click **OK** in the **Choose Folder** window

	NOTE	Installation For more information, see the images below.
--	------	---



9. The **Progress Bar** of the **ACD Agent Setup** is displayed.




NOTE

Microsoft .Net Framework 2.0

If the Microsoft .Net Framework is not installed then the "The Microsoft .Net Framework 2.0 is not installed. Please install before running setup." Message is displayed.

- 10.** Click **Finish**, to complete the installation of ACD in the **Setup Complete** screen.



CHAPTER 3. Agent

This section describes the Agent module which is used by an agent to control a call.

Starting up the Agent

To start the Agent,

1. From the **Windows** desktop, click **Start** and choose **Programs » Samsung Electronics » ACD » Agent**.

OR



Click **ACD Agent Agent icon** on the desktop.

2. The **Agent application** is displayed.



3. The agent has to configure the **Login** settings like IP Address, Language and other parameters. Select **File » Options » General** tab to configure the Login settings.



NOTE | **Login settings**

For more information, see [General](#) option.

4. Click **Agent Control » Log In** or click [] on **Call Control Toolbar**. Enter the agent password. Click **OK**



NOTE | **Login**

For more information, see [Login](#) option.

5. On successful login, the agent information is displayed in the title bar of the agent application.

 NOTE

Login
For the first time login, Group, Favorite, Message, Group Stats & Agent Stat windows are not showed.

Agent Menu

The section presents the menu bar options. Detailed descriptions on menu bar operation will be following. The section describes the options available in ACD Agent.

The menus of the Agent are the following:

File

Options

Exit

Ctrl+Shift+O

Ctrl+Q

View

Always On Top

Caller Information Popup

Agent Control

Logout

☒ Set Break

Toggle Wrapup

Call Control

Dial

Answer

Disconnect

Redial

Hold

Transfer

Conference

Do Not Disturb

Auto Answer

Ctrl+M

Ctrl+R

Ctrl+Shift+D


Alt+R

Help

About ACD Agent

File Menu


The **[File]** menu allows the user to configure agent application settings.



Menu	Shortcut	Description
Option	Ctrl + Shift + O	This option allows the user to configure the agent application settings
Exit	Ctrl + Q	This option allows the user to close the Agent application.

View Menu


The **[View]** menu allows the user to view/hide the Group information, favorite, message ticker, Group stat, agent stat and call history windows



Menu	Shortcut	Description
Always on Top		This option allows to set/reset the agent application on top of other application
Caller Information pop-up	Ctrl + P	This option allows to show/hide the Caller Information for an incoming call

Agent Control Menu

The **[Agent Control]** menu allows the user to connect to the server, change the password, set break and toggle between wrap-up.




Menu	Shortcut	Description
Login /Logout		This option allows the user to connect/disconnect from the ACD Server

Set Break		This option allows the user to set his status to a particular Break type for one time only.
Toggle Wrap up		This option allows the user to toggle between Extend Wrap-up and End Wrap up.

Call Control Menu

The [Call Control] menu allows the user to perform call related operations.



Menu	Shortcut	Description
Dial	Ctrl + M	This option allows the user to make a call
Answer	Ctrl + r	This option allows the user to answer an incoming call
Disconnect	Ctrl + Shift + D	This option allows the user to disconnect a ongoing call
Redial	Alt + R	This option allows the user to redial the previous dialed number
Hold		This option allows the user to place a call on hold and retrieve a held call.
Transfer		This option allows the user to transfer the call to the other Group/agent/phone number
Conference		This option allows the user to setup a 3-party conference by adding another caller to an ongoing call
Do not Disturb		This option allows the user to activate or deactivate the DND function
Auto Answer		This option allows the user to activate or deactivate the Auto Answer function
SnapShot Device		provide information about calls associated with Agent

Help Menu

The [**Help**] menu presents the version and copyright information.



Menu	Shortcut	Description
Help		This option displays the ACD Agent version and copyright information.

Toolbar



Icon	Description
	Login/Logout
	Break/idle
	Extend/End wrap up
	Supervisor
	Dial
	Answer
	Disconnect

	Hold/Retrieve
	Transfer
	Conference

CHAPTER 4. Basic Operation

This section describes some of the basic features of Agent application.

Options

The **[Options]** menu allows to Configure the environment settings for an agent, set/release Group and Agent stat items to be monitored, set the agent hot keys and log/Language settings.

General


The **[General]** menu allows setting the entire Agent environment.

1. Select **File** » **Options** on **Agent Application**. Select **General** tab.

OR

Right click on the **ACD Agent** (🗣️) icon in the **Notification Area** of task bar and select **File** » **Options** from the pop-up menu.

2. The **General** dialog box is displayed.



By default, **General** tab is displayed.

3. Server Setup — Enter Server IP or DNS Name.and CSTA Port(Default: 6001).

4. Set Agent Preferences



NOTE

Agent Preference

Agent should have permission to set preferences for Agent ID, Extension, Delay before Auto Answer and No Answer Action.

While installing, in **Select Setup** option screen, the **Modifiable ACD Server and Station Number** checkbox must be checked in order to change Extension and Server IP. For more information, See **Step 8** in **Installation** Chapter.

- **Agent ID** — Enter the agent login ID.
- **Extension** — Enter the Device number. The items are used to log in by an agent.
- **Default Break Type** — Select the default break type to be applied, when the agent click  in **Call Control Toolbar**.
- **Delay before Auto Answer** — Enter the number of seconds, for the call to wait before it is answered automatically
- **No Answer Action** — Select the action to be taken, when the agent is not answering the incoming ACD call.

5. Click **OK** to save and close the **Option** dialog box.

Screen Pop


The **[Screen Pop]** tab allows the user to select the items to be displayed when a customer call is received

1. Select **File » Options** on **Agent Application**. Select **Screen Pop** tab.

OR

Right click on the **ACD Agent** () icon in the **Notification Area** of task bar and select **File » Options** from the pop-up menu. Select **Screen Pop** tab.

2. The **Screen Pop** dialog box is displayed.



3. Select the appropriate options to be displayed in **Popup Window Settings**
4. Select the ringing tone to be played by clicking on the **Browse** button.
5. **Caller Information** — Select the parameters to be displayed in the **Caller Information** dialog box.
6. Click **OK** to save and exit the **Options** dialog box.

Hot Keys


The **[Hot Keys]** tab allows the user to assign a keyboard shortcut to access functions in menus and sub-menus.

1. Select **File » Options** on **Agent Application**. Select **Hot Keys** tab.

OR

Right click on the **ACD Agent** (🗣️) icon in the **Notification Area** of task bar and select **File » Options** from the pop-up menu. Select **Hot Keys** tab.

2. The **Hot Keys** dialog box is displayed.



3. To Assign:

- Select the action from the list to assign the Hot Key.
- In **Hot Key Settings**, enter the key sequence, and then click **Assign**

NOTE **Assign**

If the assigned hot key is in use, then an error message is displayed.

4. To Un-assign:

- Select the action from the list to un-assign the Hot Key.
- Click **Delete**.

5. Click **OK** to save & exit the **Options** dialog box.

Debug


The **[Debug]** tab allows the user to set Log option.

1. Select **File** » **Options** on **Agent Application**. Select **Debug** tab.

OR

Right click on the **ACD Agent** (🗣️) icon in the **Notification Area** of task bar and select **File** » **Options** from the pop-up menu. Select **Debug** tab.

2. The **Debug** dialog box is displayed.



3. **Log Level** — Set the **Priority** from the dropdown list.
4. **Log Folder** — Select the location to save log file, by clicking on **Browse (...)** button.
5. **Delete Logs** — Click **Delete** button to delete the log files.



NOTE | **Delete**

Log files can be deleted after 5 days from the day of creation.

6. Click **OK** to save & exit the **Options** dialog box.

Login

The **[Login]** menu allows the user to gain access to the ACD Server and to be recognized as a current user.



NOTE | **Login**

Before login, Server IP, Login ID, and Login Device should be set. For more information, see **Options >> General** tab.

1. Click **Agent Control** » **Log In** on **Agent Application**.

OR


Right click on the **ACD Agent** () icon in the **Notification Area** of task bar and select **Agent Control** » **Log In** from the pop-up menu.

OR

Click  on *Call Control Toolbar*.


2. The **Agent Login** dialog box is displayed.

- **Password** — Enter the Password.
- Click **Login** to login to ACD Server.
- On successful log-in, agent status changes to **Break** status.



3. For Group Login

- The **Select Groups for Login** dialog box is displayed.



- **Password** — Enter the password.
- **Available Groups** — Select the Groups the agent wants to login.
- Click **Login** button. The Agent is logged in to the selected Groups.

- Click [] on **Call Control Toolbar** to change status to **Available**.

Logout

The [**Log Out**] menu allows the user to log out of ACD Server.

- Click **Agent Control** » **Log Out** on **Agent Application**.

OR

Right click on the **ACD Agent** () icon in the **Notification Area** of task bar and select **Agent Control** » **Log Out** from the pop-up menu.

OR

Click [] on **Call Control Toolbar**.

- A confirmation message “**Are you sure you want to Logout**” is displayed.

- Click **Yes** to log out of the ACD Server.

	NOTE	Logout
If an agent failed to log out, an error message is displayed in the Status bar.		

Always on Top

The [**Always on Top**] menu allows the user to set the agent application on top of other application.

- Select **View** » **Always on Top** on **Agent Application**.

OR

Right click on the **ACD Agent** () icon in the **Notification Area** of task bar and select **View** » **Always on Top** from the pop-up menu.

- The **Agent Application** will be on the top level of other applications.

Caller Information Popup

The [**Caller Information Popup**] menu allows the user to show/hide the Caller Information pop-up for an incoming call.

1. On receiving of inbound call, the **Caller Information** dialog box is displayed.
2. To show/hide the **Caller Information window** while the incoming call is going on,

Select **View » Caller Information** pop-up on **Agent Application**.

OR

Right click on the **ACD Agent** () icon in the **Notification Area** of task bar and select **View » Caller Information** from the pop-up menu.



NOTE

Caller Information

You can select the parameter item to be displayed in the Caller Information. For more information, see **File→Options→Screen pop** tab.

3. If a complete code is assigned to the agent, by the supervisor in **Supervisor** application, the **Caller Information** dialog box cannot be closed. After the call is disconnected the agent has to select the completion code and enter the call notes.
4. Click **Save** button to save the call details and close the dialog box.



NOTE

Caller Information Pop-up

For save button to be enabled, Agent should have **Assign Completion Code** permission. For more information, see **Supervisor** manual.

For cancel button to be enabled, Agent should have **Cancel Completion Code** permission. For more information, see **Agent Permissions** in **Supervisor** manual

Exit

The [**Exit**] menu allows you to exit the Agent application.

1. Click **File » Exit** on **Agent Application**.

OR

Right click on the **ACD Agent** () icon in the **Notification Area** of task bar and select **File » Exit** from the pop-up menu.

2. The Agent Application is closed.

About ACD Agent ...

1. Click **Help** » **About ACD Application**.
2. The **ACD Agent** version and copyright information is displayed.



CHAPTER 5. Call Operation

This section describes the basics call operations:

Dial

The **[Dial]** option allows the user to make a call to an extension or external number.

1. Select **Call Control** » **Dial** on **Agent Application**.


OR

Right click on the **ACD Agent** () icon in the **Notification Area** of task bar and select **Call Control** » **Dial** from the pop-up menu.

OR

Click  icon on **Call Control Toolbar**.

2. The **Make a Call** dialog box is displayed.



3. **Call Destination** — Enter the phone number

OR

Select the number in **Group/Agent/Favorite** section.

4. Click **Dial** button and the specified extension will be dialed.

Answer

The [**Answer**] option allows the user to answer a call.

1. Once an inbound call is ringing, the **Caller Information** dialog box is displayed


NOTE

Caller Information

If **Screen pop** on incoming call is selected in **Options**→ **Screen Pop** tab.

2. Select **Call Control** » **Answer** on **Agent Application**.

OR

Right click on the **ACD Agent** () icon in the **Notification Area** of task bar and select **Call Control** » **Answer** from the pop-up menu.

OR

Click  on **Call Control Toolbar**,

OR

Click **Answer** button on the **Caller Information** dialog box to answer the call.

3. The status changes to **Busy** in **Status Bar**.

Disconnect

The [**Disconnect**] option allows the user to disconnect an ongoing call.

1. Select **Call Control** » **Disconnect** on **Agent Application**.

OR

Right click on the **ACD Agent** () icon in the **Notification Area** of task bar and select **Call Control** » **Disconnect** from the pop-up menu.

OR

Click [] on **Call Control Toolbar**.

OR

Click **Disconnect** button on the **Caller Information** dialog box.

2. The call will be disconnected. In case, if another call is **On Hold** when a call is disconnected, the held call will be automatically retrieved.

Redial

The [**Redial**] option allows the user to redial the previous dialled number.

	NOTE	Redial In case, no number is present to redial, then Make a Call dialog box is displayed
---	------	---

1. Select **Call Control** » **Redial** on **Agent Application**.

OR

Right click on the **ACD Agent** () icon in the **Notification Area** of task bar and select **Call Control** » **Redial** from the pop-up menu.

2. The call is made to the previously dialed number. If previous dialed number does not exist then **Make a Call** dialog box is displayed.

	NOTE	Redial For more information, see Dial option.
---	------	--

Hold

The [**Hold**] option allows the user to place a call on hold or retrieve the hold call.

1. Select the call in **Call Status Bar**.
2. Click [] on **Call Control Toolbar**.
3. The **Call Status** of the call changes to **On Hold**.

	NOTE	Hold This feature is enabled only if a single call is in progress
---	------	---

Transfer to Agent

The [**Transfer**] option allows the user to transfer an ongoing call to another agent or phone number.

1. When a call is in progress. Select **Call Control** » **Transfer** on **Agent Application**.

OR

Right click on the **ACD Agent** () icon in the **Notification Area** of task bar and select **Call Control** » **Transfer** from the pop-up menu.

OR


Click [] On **Call Control Toolbar**.



NOTE | **Transfer**

This feature is enabled only if a single call is in progress

2. The **Transfer Call** dialog box is displayed.



3. Select the number in **Group/Agent/Favorite** section.

OR

Transfer Destination — Enter the phone number.

4. Click **Transfer** button.

- The ongoing call status changes to **Hold** and a consult call is made to the selected agent.(Transfer Initialize)
- Once the consult call status is **Busy**, select **Call Control » Transfer**, or click [] on **Call Control Toolbar**, the call is transferred.(Transfer Complete)

5. Select the **Blind transfer** checkbox to transfer the call in a single step i.e, without consult

6. The Agent status changes to **Idle**.

Transfer to Group

The [**Transfer**] option allows the user to transfer an ACD Call to a Group.



NOTE | **Transfer**

No Group list is displayed for Non-ACD Calls.

1. When an inbound call is displayed. Select **Call Control » Transfer** on **Agent Application**.

OR

Right click on the **ACD Agent** () icon in the **Notification Area** of task bar and select **Call Control » Transfer** from the pop-up menu.

OR


Click [] on **Call Control Toolbar**.

2. The **Transfer Call** dialog box is displayed.

3. Select the Group from in **Group/Agent/Favorite** section.

OR

Transfer Destination — Enter the phone number.



4. Click **Transfer** button, the call is transferred to the selected Group.



NOTE

Transfer

This feature is enabled only if a single call is in progress

Conference

The [**Conference**] menu allows the agent to set up a three-party conference by adding another party to an ongoing call.

1. When a call is under progress, select **Call Control** » **Conference** on **Agent Application**.


OR

Right click on the **ACD Agent** (🗣️) icon in the **Notification Area** of task bar and select **Call Control** » **Conference** from the pop-up menu.

OR

Click [] on **Call Control Toolbar**.

2. The **Create Conference** dialog box is displayed.



3. Select the number in **Agent List/Favorite Selection**

OR

Conference Party — Enter the phone number

4. Click **Conference** button.

- The ongoing call status changes to **Hold**. (Conference Initialize)
- Once the Consult call is connected (Busy), select **Call Control** » **Conference**, or

Click [] on **Call Control Toolbar**, the agents will be connected to the conference.(Conference Complete)



NOTE

Conference

This feature is enabled only if a single call is in progress

Do Not Disturb (DND)

The **[Do Not Disturb]** menu allows to activate or deactivate the DND function.

1. Select **Call Control** » **Do Not Disturb** on **Agent Application**.

OR

Right click on the **ACD Agent** () icon in the **Notification Area** of task bar and select **Call Control** » **Do Not Disturb** from the pop-up menu.

OR

Double click on **Do Not Disturb** in status bar to activate the feature.

2. The DND will be activated and highlighted in the status bar.

Auto Answer

The **[Auto Answer]** menu allows activating or deactivating the **Auto Answer** function.



NOTE | **Auto Answer**

Agent must have **Auto Answer** permission to enable this menu. For more information, see **Agent Permissions** in **Supervisor** manual.

1. Select **Call Control** » **Auto Answer** on **Agent Application**.

OR

Right click on the **ACD Agent** () icon in the **Notification Area** of task bar and select **Call Control** » **Auto Answer** from the pop-up menu.

OR

Double click on **Auto Answer** in status bar to activate/deactivate the feature.

2. If the agent does not answer within the auto answer delay period, then the inbound call will be answered automatically.



NOTE | **Auto Answer**

Auto Answer delay period is configured in **Options** → **General**

Supervisor

The **[Supervisor]** option allows the agent to dial the Supervisor extension.



NOTE

Supervisor Extension

This option is disabled, if Supervisor number is not configured in **Supervisor** application. For more information, see **ACD-Group** in **SCM Administrator** manual. If the agent selects a particular Group in the Group View, then the button will be enabled/disabled based on whether Group supervisor number is configured for that Group in ACD-Group.

1. Click [] on **Call Control Toolbar**.
2. A call will be made to the Supervisor extension
3. In case of ongoing call, it will be put on hold and a consult call is made to the supervisor number.



NOTE

Supervisor Extension

If the agent selects a particular Group in the Group View, then the Group supervisor number configured for that Group in supervisor is dialled.

End Wrap-Up

The **[End Wrap-Up]** option allows the agent to set his status to **Available** from **Wrap-up** status.

1. When the agent status is Wrap-up, Select **Agent Control** » **Toggle Wrapup** on **Agent Application**.

OR

Right click on the **ACD Agent** () icon in the **Notification Area** of task bar and select **Agent Control** » **Toggle Wrapup** from the pop-up menu.

OR

Click [] on **Call Control Toolbar**,

2. Select **End Wrap-up** from the pop-up menu.
3. The agent status changes to **Idle** from **Wrap-up** status.

Extend Wrap-Up

The [**Extend Wrap-Up**] option allows the agent to extend his Wrap-up status.

1. Right click on the **ACD Agent** () icon in the Notification Area of task bar and select **Call Control** » **Toggle Wrap up** from the pop-up menu.

OR

Click [] on **Call Control Toolbar**.

2. Right Click and select **Extend Wrap-up** from the pop-up menu.
3. The agent Wrap-up time is extended.

 NOTE

Extended Wrap-up
To end the extended wrap-up status, click on **Toggle Wrap-Up** menu again.

Break

The [**Break**] option allows the agent to set his status to **Break** or from **Break** to **Available**.

1. Click [] on **Call Control Toolbar**.
2. The agent status changes to **Break**.

CHAPTER 6. Call Button Operations

This section describes the call button list and its operations.


Call Button List

The Agent main window displays a list of call buttons enabled in the device to which agent has logged in. The multiple call button allow the agent to have multiple held calls (One on each call button) and one active call at any point of time.



Call Button Menu

When agent right clicks on the call button, the call button menu pops up.



Menu	Description
Answer	This option allows the user to answer an Incoming call on the selected call button
Disconnect	This option allows the user to disconnect an ongoing call on the selected call button.
Hold	This option allows the user to place a call on hold or retrieve the hold call on the selected call button
Transfer	This option works as described in the Call Operations chapter (For the selected call button)

Conference	This option works as described in the Call Operations chapter (For the selected call button)
-------------------	--

CHAPTER 7. Group Operations

This section describes the Group-Bar operations.


Group Information Window

The [**Group Window**] menu shows or hides the Group Information window.

1. Select **View » Group Information Window** on **Agent Application**.
2. The **Group Information Window** is displayed.



3. List of Group is displayed, to which logged in agent belongs.



Group Log-in

The [**Group Log -in**] option allows the agent to log in to the selected Group.

1. Select the Group to log-in. The corresponding **Group** details are displayed.
2. Right click on **Group Icon** and select **Log-in** from the pop-up menu.
3. On successful login, the Group status changes to **Logged-in**.


Group Log-out

The [**Group Log -out**] option allows the agent to log out of the selected Group.

1. The Agent status should be in **Break**.
2. Select the Group to log-out. The corresponding Group detail is displayed.
3. Right click on **My Status** field and select **Log-out** from the pop-up menu.
4. The agent is logged out of the Group.

Group Supervisor

The [**Supervisor**] option allows agent to dial the Group supervisor number.



1. Double click on the **Supervisor** number.
2. The supervisor number will be dialed.
3. If there is an ongoing call, it will be put on hold before dialing the Supervisor number.

Cancel

The [**Cancel**] option allows closing the Group pop-up menu.

1. Select **Cancel** from the pop-up menu in the **Group Information Window**.
2. The Pop-up menu is closed.

CHAPTER 8. Favorite Operations

This section describes the Favorite bar operations:

Favorite Bar

The [**Favorite Window**] menu shows or hides the Favorite tab in the tabbed window.

1. Select **View » Favorite Window** on *Agent Application*.
2. The **Favorite Window** tab is displayed in the tabbed window.




Agent

Add Agent

The [Add] option allows adding an agent to the favorite list.


1. Right click on **Favorite view** and select **Add Agent** from the pop-up menu in the *Favorite Window*..
2. The **Add Agent Shortcut** dialog box is displayed.
3. Select the agent from the **Select Agent** section.
4. The corresponding **Agent ID** and **Agent Name** are displayed. The agent can change the **Agent Name** if required.
5. Click **Save** to add the agent to the favorite list.



Modify Agent

The [Edit] option allows editing selected agent information.

1. Right click on the **Favorite Agent** and select **Edit Favorite** from the pop-up menu in the *Favorite Window*.
2. The **Edit Agent Shortcut** dialog box is displayed.
3. Enter the required changes
4. Click **Save** to update the agent information.



Delete Agent

The [**Delete**] option allows deleting the selected agent


1. Right click on Agent icon and select **Remove Favorite** from the pop-up menu in the *Favorite Window*.
2. The agent is removed from the list.

Group

Add Group

The [**Add**] option allows adding a Group to the favorite list.

1. Right click on the **Favorite view** and select **Add Group** from the pop-up menu in the *Favorite Window*.
2. The **Add Call Center Group Shortcut** dialog box is displayed.




3. Select the Group from the **Select Group** section.
4. The corresponding **Group Number** and **Group Name** is displayed. The agent can change the **Group Name** if required.
5. Click **Save** to add the Group to the favorite list.

Modify Group

The [**Edit**] option allows editing select Group information.

1. Right click on the **Favorite Group** and select **Edit Favorite** from the pop-up menu in the *Favorite Window*.
2. The **Edit Call Center Group Shortcut** dialog box is displayed.
3. Enter the required changes



4. Click **Save** to update the Group information.

Delete Group

The [**Delete**] option allows deleting the selected Group.

1. Right click on the Group icon and select **Remove Favorite** from the pop-up menu in the *Favorite Window*.
2. The Group is removed from the list.

Phone Number

Add Phone Number

The [**Add**] option allows adding a phone number to the favorite list.

1. Right click on the **Favorite view** and select **Add Phone Number** from the pop-up menu in the *Favorite Window*.
2. The **Add Phone Number Shortcut** dialog box is displayed.



3. **Number to Dial** — Enter the Phone number.
4. **Label Name** — Enter the name to identify with the number.
5. Click **Save** to add the phone number to the favorite list.

Modify Phone Number

The [**Edit**] option allows editing of selected phone number information.

1. Right click on the **Favorite Phone Number** and select **Edit Favorite** from the pop-up menu in the *Favorite Window*.
2. The **Edit Phone Number Shortcut** dialog box is displayed.



3. Enter the required changes
4. Click **Save** to update the agent information.

Delete Phone Number

The [**Delete**] option allows deleting the selected phone number.

1. Right click on label name and select **Remove Favorite** from the pop-up menu in the *[Favorite Window](#)*.
2. The phone number is removed from the list.

Call Favorite

The [**Call Favorite**] option will make a call to the selected agent/phone number (not available for favorite Group)

1. Select an Agent/Phone number from the favorite list to call.
2. Right click and select **Call Favorite** from the pop-up menu in the *[Favorite Window](#)*.
3. The extension of the selected Agent/Phone number will be dialed.

Transfer to Favorite

The [**Transfer to Favorite**] option allows transferring an ongoing call to the selected agent/Group/phone number

1. Select an **Agent/Group/Phone number** to transfer.
2. Right click and select **Transfer to Favorite** from the pop-up menu in the *[Favorite Window](#)*.
3. The call will be transferred to the selected Agent/Group/Phone number.

 NOTE | Transfer
For more information, see [Transfer to Agent](#) & [Transfer to Group](#) option.


Conference Favorite

The [**Conference Favorite**] option allows to set up a conference to the selected agent/phone number (not available for favorite Group)

1. Select an Agent/Phone number to conference.

2. Right click and select **Conference Favorite** from the pop-up menu in the *Favorite Window*.

3. The Conference Call will be setup for the selected Agent/Phone number



CHAPTER 9. Group Stat Operations

This section describes the Group Statistics operations:

Group Stat Window

The [Group Stat] shows real time Group Statistics.

1. The selected Group Stat items and corresponding values for each Group to which the agent belongs and is currently logged in is displayed.

Call History	Call Buttons	Groups	Groups Stat	Favorite		
	Group Name ▲	Idle Agents	Break Agents	Busy Agents	Wait Calls	Longest Wait Time
	ACD Group 01	0	1	0	0	00:00:00
	ACD Group 02	0	1	0	0	00:00:00
	ACD Group 03	0	1	0	0	00:00:00
	ACD Group 04	0	1	0	0	00:00:00
▶	ACD Group 05	0	1	0	0	00:00:00
	ACD Group 06	0	1	0	0	00:00:00



NOTE

Group Stat Window

For more information, see [오류! 참조 원본을 찾을 수 없습니다.](#) option.

Group Parameters

Category	Description
Idle Agents	Total Number of agents with available status
Busy Agents	Total Number of agents with busy status
Break Agents	Total Number of agents with Break status
Wait Calls	Number of waiting calls
Longest Wait Time	Longest waiting time

ABBREVIATION

A

ACD Automatic Call Distribution

C

CIM Customer Interaction Management

CLI Calling Line Identification

D

DID Dialed Number Identification

DND Do Not Disturb

OfficeServ ACD Agent User's Guide

© 2009 Samsung Electronics Co., Ltd.

All rights reserved.

Information in this document is proprietary to SAMSUNG
Electronics Co., Ltd.

